

DAIRY PACK RM12B, RM15B BOTTLE FILLER

The Dairy Pack RM12B is a high-output bottle filler for liquid products, built to deliver reliable performance in demanding production environments. Adapted to sensitive products, it uses inline indexed technology. The system is able to handle two neck diameters and operates at a speed range of 24,000 bottles per hour—or up to 54,000 with the RM15B configuration. This combination of speed, adaptability, and product-focused design makes the RM12B a strong solution for high-volume liquid filling applications.

Dairy Pack RM15B is a wider version of the RM12B, allowing different bottle configurations per stroke. All systems and technologies are common to both models and can be applied without reservation.

WHY CHOOSE THE DAIRY PACK RM12B OR RM15B?

Features



High Operational Efficiency



Adapted to Sensitive Products



Compact with Easy Access & Cleaning



PET Bottle (Large Bottle | 1000ml)

- Neck Diameter: 38mm
- Bottle Body: 90mm
- Height: 250mm
- Product Example: Juice



PP Bottle (Medium Bottle | 300ml)

- Neck Diameter: 28mm
- Bottle Body: 55mm
- Height: 120mm
- Product Example: Coffee Drink



HDPE Bottle (Small Bottle | 80ml)

- Neck Diameter: 28mm
- Bottle Body: 40mm
- Height: 75mm
- Product Example: Drinkable Yogurt




PS Bottle (Shaped Bottle | 450ml)

- Neck Diameter: 38mm
- Bottle Body: 60mm
- Height: 180mm
- Product Example: Flavored Milk

DAIRY PACK RM12B HIGH OUTPUT INLINE BOTTLE FILLER

Designed for high operational efficiency, the RM12B offers customizable speed up to 30 cycles per minute with production output up to 24,000 bottles per hour, or 54,000 for the RM15B. It fills various formats from 80 to 1,000 ml, handles up to two different bottle-neck diameters, and runs PET, HDPE, PP, and PS. Operations are at chest height (110 cm / 43.3 in), the HMI is customizable for optimized production reporting, and machine stations can be added as needed, including bottle inserter, decontamination, filling stations, control stations, and lid and/or cap. Adapted to sensitive products, it provides a hygiene level tailored to product specifications, is suitable for most homogeneous and pumpable products with fruit pieces, and supports a global commitment to hygienic operation, product integrity, and filling accuracy. Optional features include a filler device outside the filling area for ultra-clean hygiene, extractable filler heads for optimized CIP safety, and fill testing for customer product optimization and faster ramp-up. Compact and easy to access, the system features a 13L x 4W x 5H m footprint, high visibility on stations and tooling, high accessibility for inspections, maintenance, and cleaning operations, fast and efficient cleaning, integrated diagnostic systems with clear messages, comprehensive training and documentation, and compliance with CE regulations.



Applications / Industries:


- ✓ Smoothie
- ✓ Juice
- ✓ Drinkable Yogurt
- ✓ Milkshake
- ✓ Bubble Tea
- ✓ Ready-to-drink Tea & Coffee



Talk to us about your operation.
Let's design a solution together.

MORE THAN MACHINES. A PARTNERSHIP FOR LIFE.

At BW Packaging, we don't just build machines — we're your lifetime partner in production success. Our global service network, parts availability, training and upgrades all work together to keep your machines running for years to come.



bw **PACKAGING**
a barrywehmler company

bwpackaging.com