



DAIRY PACK DP40C/DP60C CUP FILLER

The Dairy Pack DP40C is a cup fill-seal machine designed for dairy and food products, offering compatibility with plastic, paper, and aluminum materials. Its integrated fillers are perfectly adapted to viscous, homogeneous, or products with pieces, supporting volumes from 90 g to 500 g. With a production range of 5,000 to 18,000 cups per hour, the DP40C provides a flexible and efficient solution for a wide variety of filling requirements.

The DP40C and its twin DP60C have been designed for yogurt, deserts, flan, cream, spreadable cheese, butter, sweet condensed and evaporated milk.

WHY CHOOSE THE DAIRY PACK DP40C OR DP60C?

Features



High Operational Efficiency



Specification Driven Design



Gentle Product Handling



Cups with Label (1x3 to 1x6 | 2x6 for DP60C)

- Cup Platform: 55 to 95mm
- Cup Height: up to 120mm
- Cup Volume: 90 to 500g



Rectangular Cups (1x4 to 1x6 | 2x6 for DP60C)

- Cup Platform: 55 to 95mm
- Cup Height: up to 120mm
- Cup Volume: 90 to 500g



Cups with Toppers (1x4 to 1x6 | 2x6 for DP60C)

- Cup Platform: 55 to 95mm
- Cup Height: up to 120mm
- Cup Volume: 90 to 500g




Buckets with Handle (1x1, 1x2 or 1x3)

- Cup Platform: 150 to 270mm
- Cup Height: 30 to 110mm
- Cup Volume: 90 to 500g

DAIRY PACK DP40C CUP FILLER

Designed for high operational efficiency, this system delivers production speeds up to 9,000 cups per hour, or 18,000 for the DP60C version, with customizable speed up to 25 cycles per minute. Its footprint of 3.5W x 3H x 8.5L meters (12.5L for the DP60C) supports various formats from 90 to 500 g and accommodates plastic, paper, and aluminum materials. The specification-driven design allows up to three different fillers for multi-layer products, and machine stations can be added to fit your needs—including optional cup inserter, decontamination, filling stations, control stations, lid or overcap, and topper. The system is conceived for fast and efficient cleaning, offers high accessibility for inspections, maintenance, and cleaning operations, and includes customizable HMI visualization for optimized production reporting.

Gentle product handling ensures suitability for most homogeneous and pumpable products with fruit pieces, supported by BW Packaging's global commitment to hygienic operation, product integrity, and accuracy of the filled products. Optional features include a filler device outside the filling area for ultra-clean hygiene and extractable filler heads for optimized safety in CIP. Fill testing is available for product optimization and vertical startup, helping ensure smooth and efficient production performance.



Applications / Industries:


- ✓ Desserts
- ✓ Yogurt
- ✓ Spreadable Cheese
- ✓ Cream
- ✓ Butter
- ✓ Jams
- ✓ Canned Milk
- ✓ Flan



Talk to us about your operation.
Let's design a solution together.

MORE THAN MACHINES. A PARTNERSHIP FOR LIFE.

At BW Packaging, we don't just build machines — we're your lifetime partner in production success. Our global service network, parts availability, training and upgrades all work together to keep your machines running for years to come.



bw **PACKAGING**
a **barrywehmler** company

bwpackaging.com